

Quantum Data Management in the NISQ Era

Rihan Hai

Available next week



Agenda

- Quantum computing for data management ([ICDE'24 tutorial](#))
- **Data management for quantum computing**

A little more about me

- <https://infinidata-team.github.io/>

InfiniData

What we focus on

Empowering the Future of Data, Today



AI in data lakes

Multimodal data & GPU acceleration



Federated Learning

Data privacy and security



Quantum Data Management

Data Management for Quantum Computing and Quantum Internet



Wenbo Sun



Danning Zhan



**Aditya Shankar
(with L. Chen)**



Tim Littau



**PhD applicant
(with S. Wehner)**

A little more about me

InfiniData

What we focus on

Empowering the Future of Data, Today



AI in data lakes

Multimodal data & GPU acceleration



Federated Learning

Data privacy and security




Quantum Data Management



Data Management for Quantum Computing and Quantum Internet



Data Lake




Model Zoo



Amalur (CIDR'22, ICDE'23, TKDE'23
ICDE'24, TKDE'24, CIKM'24demo)

SiloFuse (ICDE'24)

ICDE'24 tutorial



Quantum computing for data management

DBMS




Fig. 1.1 Main components of a DBMS.



Hellerstein, Joseph M., Michael Stonebraker, and James Hamilton. "Architecture of a database system." *Foundations and Trends® in Databases* 1.2 (2007): 141-259.

Quantum computing for data management





Fig. 1.1 Main components of a DBMS.

DB Problems Solved Using QPUs




ICDE'24 tutorial

Reference	DB problem	Subproblem	Formulation	Intermediate quantum algorithm	Quantum computer
I. Trummer et al., VLDB'16	Query optimization	Multiple query optimization	QUBO	–	Annealing-based
T. Fankhauser et al., IEEE Access, 2023				QAOA	Gate-based
M. Schonberger et al., SIGMOD23		Join ordering		QAOA	Gate-based & annealing-based
N. Nayak et al., BiDEDE '23				QAOA, VQE	Gate-based & annealing-based
T. Winker et al., BiDEDE '23				–	VQC
K. Fritsch et al., VLDB'23 Demo	Data integration	Schema matching	QUBO	QAOA	Gate-based & annealing-based
T. Bittner et al., IDEAS'20, OJCC S. Groppe et al., IDEAS'21	Transaction management	Two-phase locking	QUBO	–	Annealing-based

Roadmap




- Solving data management problems on quantum computers
 - Problem benefit from **quantum advantage**, and practically useful
 - Optimization problem
 - Classical approaches have scaling limits
 - Yet it does not require to load a large classical dataset
 - Convert a data management solution to quantum algorithms
 - **Constraints** of current quantum hardware




Research Opportunities



- DB problem **reformulation**
- **Hybrid** approach on classical and quantum computers
- Optimization given quantum computer **constraints**



Quantum computer will enhance, not replace, current HPC systems



Data management for quantum computing

Many thanks to my collaborators



Floris Geerts
University of Antwerp



Shih-Han Hung
National Taiwan University



Tim Coopmans
Leiden University


Classical data vs. quantum data

- Classical data
 - Information that is collected, processed, and stored with traditional computing methods
 - Stored and queried using DBMS such as relational databases, document stores, graph databases, and vector databases
- Quantum data
 - Information collected and processed using quantum computing devices that follow the rules of quantum mechanics to their advantage
 - Represented by **qubits**

Unique features of quantum data

1. Quantum data is probabilistic

Superposition




What is a qubit (for us)?

- A qubit is a linear combination of basis states

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$$

$$\alpha, \beta \in \mathbb{C} \text{ with } |\alpha|^2 + |\beta|^2 = 1$$




Unique features of quantum data

1. Quantum data is probabilistic

- α, β are called probability amplitudes
- When measuring, $|\alpha|^2$ is probability of finding qubit in state $|0\rangle$

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$$

$$\alpha, \beta \in \mathbb{C} \text{ with } |\alpha|^2 + |\beta|^2 = 1$$




Unique features of quantum data

2. Quantum data is fragile

Quantum noise results from unwanted coupling environment


- Depolarizing
- Bit & phase flipping
- Amplitude & phase damping



Unique features of quantum data


3. Quantum data can be entangled

Entanglement








From quantum data to classical data

- Qubit fate (0 or 1) determined upon **measurement**



From classical data to quantum data


Encoding Pattern	Encoding	Req. Qubits
	BASIS ENCODING [1] $x_i \approx \sum_{i=-k}^m b_i 2^i \mapsto b_m \dots b_{-k}\rangle$	$l = k + m$ per data-point
	ANGLE ENCODING $x_i \mapsto \cos(x_i) 0\rangle + \sin(x_i) 1\rangle$	1 per data-point
	QUAM ENCODING [1] $X \mapsto \sum_{i=0}^{n-1} \frac{1}{\sqrt{n}} x_i\rangle$	l
	QRAM ENCODING $X \mapsto \sum_{i=0}^{n-1} \frac{1}{\sqrt{n}} i\rangle x_i\rangle$	$\lceil \log n \rceil + l$
	AMPLITUDE ENCODING [1] $X \mapsto \sum_{i=0}^{n-1} x_i i\rangle$	$\lceil \log n \rceil$

DB for QC: where to start?




Landscape: data management for quantum computing


I Classical




II Classical-Quantum




III Quantum



I Classical data




II Classical-Quantum




III Quantum

Fault-Tolerant Quantum Computing (FTQC) Era

Quantum
Computer




Quantum
Database




III Quantum

- Quantum computing = Enormous computing power



III Quantum

- Quantum communication = Inherently safe communication




III Quantum

- Quantum communication = Inherently safe communication



III Quantum

- Quantum data is collected from **quantum sensing** systems; then stored and processed via the **quantum memory** of a quantum computer




Hsin-Yuan Huang, Michael Broughton, Jordan Cotler, Sitan Chen, Jerry Li, Masoud Mohseni, Hartmut Neven, Ryan Babbush, Richard Kueng, John Preskill, et al. 2022. Quantum advantage in learning from experiments. *Science* 376, 6598(2022), 1182–1186


Noisy Intermediate-Scale Quantum (NISQ)

Quantum Computing in the NISQ era and beyond

John Preskill





Noisy Intermediate-Scale Quantum (NISQ)



Databases to the rescue

Can DB technologies boost the development of quantum computing?



Quantum computing

Fig. 1.1 Main components of a DBMS.

Many possibilities

Can DB technologies boost the development of quantum computing?

In-DB Tensor
Computation



Classical simulation

Graph
analytics



Error correction

Distributed
databases



Quantum network


Scientific data
management




Quantum
experiments

Classical simulation

- The process of emulating quantum computation, enabling researchers to model and analyze quantum processes as if they were operating on actual quantum hardware
- A **powerful, foundational** tool



Categorization of existing methods



Frameworks

IBM Quantum Composer TensorFlow Quantum Cirq Strawberry Fields HybridQ Azure Quantum Development Kit

Strong simulation vs. weak simulation

- Strong simulation
 - Compute the output

Theorem 1 (Gottesman-Knill) *Every (uniform family of) Clifford circuit(s), when applied to the input state $|0\rangle \equiv |0\rangle^{\otimes N}$ and when followed by a Z measurement of the first qubit, can be efficiently simulated classically in the strong sense.*

- Weak simulation
 - Sample from the output

Theorem 2 *Let C be an arbitrary poly-sized Clifford circuit. Then there exists a poly-sized Clifford circuit C' satisfying $C|0\rangle = C'|0\rangle$ such that C' can be decomposed into three “rounds”: (ROUND 1) apply Hadamard gates to an arbitrary subset of qubits; (ROUND 2) apply a poly-sized circuit of NOTs and CNOTs; (ROUND 3) apply a poly-size circuit of PHASEs and CPHASEs. The circuit C' can be efficiently determined.*

Theorem 3 *Let C be an arbitrary n -qubit Clifford operation. Then there exist: (a) poly-size circuits M_1 and M_2 composed of CNOT, PHASE and CPHASE gates and (b) a tensor product of HADAMARD gates and identities $\mathcal{H} = H^S \otimes I$ acting nontrivially on a subset S of the qubits, such that $C \propto M_2 \mathcal{H} M_1$. Moreover, M_1 , M_2 and \mathcal{H} can be determined efficiently.*

Simulation problem: scalability

- 3-qubit GHZ state

$$\frac{1}{\sqrt{2}} (|000\rangle + |111\rangle)$$

The basis states for 3 qubits are $|000\rangle, |001\rangle, |010\rangle, |011\rangle, |100\rangle, |101\rangle, |110\rangle, |111\rangle$.

- GHZ state as a vector

$$2^3 \left\{ \begin{array}{c} \left[\begin{array}{c} \frac{1}{\sqrt{2}} \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{array} \right] \end{array} \right.$$

Amplitude of the vector 2^n , where n is the number of qubits

Simulation problem: scalability

- Amplitude of the vector 2^{n+4}
 - n is the number of qubits
 - 2^4 for the double-precision complex numbers
- Reaching the memory limits of today's supercomputers



Characterizing quantum supremacy in near-term devices

Sergio Boixo^{1*}, Sergei V. Isakov², Vadim N. Smelyanskiy¹, Ryan Babbush¹, Nan Ding¹, Zhang Jiang^{3,4}, Michael J. Bremner⁵, John M. Martinis^{6,7} and Hartmut Neven¹

2.25 petabytes for **48** qubits (single precision)



Solutions to overcome the memory restriction


- Approximation
 - Data compression
 - Parallelization
 - Distributed computing
-
- Unexplored direction: database technologies

Databases to the rescue

We envision a classical-quantum simulation system (CQSS) with the following capabilities:

- (i) automatically providing the most **efficient simulation** of the input circuit by selecting **optimal data structures and operations** based on available resources and circuit properties;
- (ii) operating inherently **out-of-core** to support the simulation of large circuits that exceed main memory capacity;
- (iii) ensuring **consistency** to prevent data corruption and enabling recovery in the event of large-scale simulation crashes; and
- (iv) improving the entire simulation workflow, including parameter tuning, data collection, and querying, exploration, and visualization.


Qubit states & gates represented as tensor networks




Tensor

- Multidimensional array


Tensor network diagram




Scalar



Vector





Matrix




3-way tensor

Tensor contraction



$$C_{ij} = \sum_k A_{ik} B_{kj}$$







Quantum state as tensors

- 3-qubit GHZ state

$$\frac{1}{\sqrt{2}} (|000\rangle + |111\rangle)$$

$$2^3 \left\{ \begin{array}{c} \frac{1}{\sqrt{2}} \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ \frac{1}{\sqrt{2}} \end{array} \right.$$



Matrix product state (MPS)


$$A^0 = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \quad A^1 = \begin{bmatrix} 0 & 1 \\ 0 & 1 \end{bmatrix}$$

$$B^0 = \begin{bmatrix} 1 & 0 \\ 0 & 0 \end{bmatrix} \quad B^1 = \begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix}$$

$$C^0 = \begin{bmatrix} \frac{1}{\sqrt{2}} \\ 0 \end{bmatrix} \quad C^1 = \begin{bmatrix} 0 \\ \frac{1}{\sqrt{2}} \end{bmatrix}$$

Gates as tensors

Matrix product operator (MPO)



Noise as MPO

- Consider noise modeled as gates (one example)





Figure 1. (Color online) (a) The schematic diagram of our QEM method based on MPO. We first use an MPO to represent the noisy quantum circuit \mathcal{U}_{MPO} . Then we calculate the inverse noise channel $\mathcal{E}_{\text{MPO}}^{-1}$, which is applied after \mathcal{U} to compensate for the error and to restore the ideal circuit $\mathcal{U}^{(0)}$. (b) Our variational MPO-inverse method. We calculate the inverse of an MPO-represented quantum channel \mathcal{U}_{MPO} , which is parameterized as an MPO $\mathcal{U}_{\text{MPO}}^{-1}$ with the same bond dimension D . (c) Calculation of the inverse noise channel $\mathcal{E}_{\text{MPO}}^{-1}$ via MPO contraction and truncation methods, whose bond dimension is D' . (d) A deep circuit is divided into m parts, each with d_0 layers. One may apply our QEM method on each part, where $\mathcal{E}_{\text{MPO},[k]}^{-1}$ is truncated to $D' = 1$ and simulated by single-qubit gates.

Simulating quantum circuits with tensor network

- The state after executing the circuits is obtained by **contracting** all the tensors



Efficient tensor computation: database to the rescue


Push the simulation workload to DBMSs

```
CREATE TABLE States(qubits text, areal float, aimg float);

WITH (SELECT A.qubits as Aqubits, B.qubits as Bqubits,
A.areal as Aareal, A.aimg as Aaimg,
B.areal as Bareal, B.aimg as Baimg
FROM States A, States B WHERE
SUBSTRING(A.qubits,1,k-1)=SUBSTRING(A.qubits,1,k-1)
AND SUBSTRING(A.qubits,k+1,n-k)=SUBSTRING(A.qubits,k+1,n-k)
AND A.qubits < B.qubits) AS J
(SELECT Aqubits, q11*Aareal+q12*Bareal, q11*Aaimg+q12*Baimg)
UNION ALL (SELECT Bqubits, q21*Aareal+q22*Bareal,
q21*Aaimg+q22*Baimg)
```

Immanuel Trummer. 2024. Towards Out-of-Core Simulators for Quantum Computing. In Proceedings of the 1st Workshop on Quantum Computing and Quantum-Inspired Technology for Data-Intensive Systems and Applications (QData '24). <https://doi.org/10.1145/3665225.3665441>

Compilation and Runtime



Matthias Boehm, Matteo Interlandi, and Chris Jermaine. 2023. Optimizing Tensor Computations: From Applications to Compilation and Runtime Techniques. In Companion of the 2023 International Conference on Management of Data. 53–59.

Many possibilities

Can DB technologies boost the development of quantum computing?

In-DB Tensor
Computation



Classical simulation

Graph
analytics



Error correction

Distributed
databases



Quantum network

Scientific data
management





Quantum
experiments

We're hiring

-- **Work, live, love at Delft**

- Postdoc
 - Data lake & AI
 - Federated learning
- PhD
 - Data management for quantum Internet



In 20+ labs and research groups



We're hiring

-- **Work, live, love at Delft**

Contact: R.Hai@tudelft.nl

- Postdoc

- Federated learning
- Database & quantum computing



Quantum Computing



Quantum Internet



Qubit Research





QuTech

In 20+ labs and research groups

Q&A

Can DB technologies boost the development of quantum computing?



Quantum computing

Fig. 1.1 Main components of a DBMS.